

INDIRA GANDHI HOSPITAL, SHIMLA-171001

NO.HFW (MS-IG) S-4/2016(Quotations) _____ Dated _____

SHORT TERM QUOTATION

Sealed quotations are hereby re-invited from the manufacturers/ whole seller and authorized distributors for the purchase of Open Surgery Instruments & Pneumatic Lithoclast with Air Compressor to be used in Urology Department IGMC Shimla. The quotations should be accompanied with the earnest money of Rs20,000/- duly pledged in the name of Sr. Medical Superintendent-Cum-Member Secretary ,RKS, Indira Gandhi Hospital Shimla. The quotation s should reach in the office of the undersigned on or before 09-02-2017 up to 1:00 P. M. which will be opened on the same day at 3:00 P.M. In the presence of purchase committee and bidders. The list of the items can be procured from this office with the payment of Rs. 1000/- non refundable.

(List attached Part-A & Part-B)

se
Sr. Medical Superintendent
Cum-Member Secretary, RKS,
Indira Gandhi Hospital Shimla

Endorsement No. as above/- 913

Dated 28/1/17

✓ Copy to Smt. Sunita Bhatia, engineer Telemedicine, IGMC, Shimla for wide publication of the quotation IGMC web site.

be
Sr. Medical Superintendent
Cum-Member Secretary, RKS,
Indira Gandhi Hospital Shimla

Part - A

The list of instruments are as under :-

1.	Long Needle Holder - 11 inches (Heavy)	02 Nos.
2.	Clip Applicator L.T. 300	01 No.
3.	Hemoloc Weck Clip applicator - 10 mm	01 Nos.
4.	Hemoloc Weck Clip applicator - 5 mm	01 Nos.
5.	Long Artery - 11 inches (Heavy)	04 Nos.
6.	Medium Curved Artery	06 Nos.
7.	Mosquito Curved Artery	06 Nos.
8.	Scissors Curved (Heavy) - 10 inches	01 Nos.
9.	Pott's Scissor - 10 inches	01 Nos.
10.	Long Scissors with sharp & Curved tip - 12 inches	01 Nos.
11.	B.P. Handles - 10 inches	02 Nos.
12.	Satinsky's IVC Vascular Clamps - 10 inches	02 Nos.
13.	Satinsky's IVC Vascular Clamps - 8 inches	02 Nos.
14.	Towel Clips	06 Nos.

Part - B

Pneumatic Lithotripter with air compressor :-

1. Technical Specifications:-

- Supply Voltage - 230 volts AC
- Output Pressure Airflow - 4kg /cm² 30 liter/min
- Working Pressure - 1.8 to 4kg/cm²
- M^Aximum input pressure - 6.0kg/cm.sq
- Pressure Source - Pressurised Oxygen / Compressed Air
- Hand Piece - Dimensions - Dia. 24 Mm X 180 Mm. Weight - 0.150 Gms.
- Probes - 0.8 mm .1 mm .1.2mm for ureteroscopy, 1.5 mm Bladder Stones, 2 mm renal stones

2. The Pneumatic Lithotripter with air compressor should include the Followings

Sr.No.	Description	
1	Control Unit (Pneumatic Lithoclast)	
2	Air Compressor with power cable	
3	Power Supply Cable	
4	Footswitch	
5	Hand Piece	
6	Silicone tubing	
7	Probe 0.8mm	
8	Probe 1mm	
9	Probe 1.2mm	
10	Probe 1.5mm	
11	Probe 2mm	
12	Carrying Case	
13	Tube With appropriate adaptor for connection to standard oxygen Cylinder	
14	Plastic/metal enclosure Trolley with extra place for irrigation pump and suction	

